

6"

140 PR24
140 PRX24

PANELLI®


CARATTERISTICHE IDRAULICHE - HYDRAULIC PERFORMANCES

Q= Portata - Capacity - Debit **50 Hz n= 2900 min**

Tipo Type	Power		H(m)	l/min	200	300	400	500	600	
	kW	HP		l/sec	0	3,33	5	6,67	8,33	10
				m ³ /h	0	12	18	24	30	36
140 PR24 N/03	3	4		41	35	31	26	17	5	
140 PR24 N/04	4	5,5		55	46	41	34	22	6	
140 PR24 N/06	5,50	7,5		83	69	62	51	33	9	
140 PR24 N/08	7,50	10		110	92	82	68	45	12	
140 PR24 N/10	9,20	12,5		138	115	103	85	56	15	
140 PR24 N/12	11	15		165	138	124	102	67	18	
140 PR24 N/14	13	17,5		193	161	144	119	78	21	
140 PR24 N/16	15	20		220	184	165	136	89	24	
140 PR24 N/20	18,5	25		275	230	206	170	112	30	
140 PR24 N/24	22	30		330	276	247	204	134	36	
140 PR24 N/28	26	35		385	322	288	238	156	42	
140 PR24 N/33	30	40		454	380	340	281	184	50	

DIMENSIONI D'INGOMBRO E PESI - OVERALL DIMENSIONS AND WEIGHTS

Type	A mm Tri V 400	B mm	C mm Tri	M Kg Tri	P Kg
140 PR24 N/03	1036	479	557	19	13
140 PR24 N/04	1120	523	597	22	14
140 PR24 N/06	1309	611	698	27	16
140 PR24 N/08	1400	699	701	55	17
140 PR24 N/10	1538	787	751	60	19
140 PR24 N/12	1686	875	811	65	22
140 PR24 N/14	1804	963	841	70	25
140 PR24 N/16	1982	1051	931	75	27
140 PR24 N/20	2218	1227	991	83	30
140 PR24 N/24	2474	1403	1071	92	33
140 PR24 N/28	2760	1579	1181	100	36
140 PR24 N/33	3050	1799	1251	108	40



Versioni disponibili
Available versions
Versions disponibles
Versiones disponibles

140 PRX

Gabbia di aspirazione e mandata
(con piattello) in AISI 304 microfuso

Suction cage and delivery bowl
(with cap valve) in AISI 304 casted



n% = Rendimento della pompa
n% = Rendement de la pompe
n% = Pump efficiency
n% = Rendimiento de la bomba

Max
60,5 %

kW/st = Assorbimento per stadio
kW/st = Absorption par étage
kW/st = Stage absorption
kW/st = Potencia absorbida por etapa


Max
0,919

Tolleranze secondo UNI ISO 9906 livello 3B - Tolerances according to UNI ISO 9906 grade 3B

tolleranza alla sabbia 400 g/m³ - sand tolerance 400 g/m³

PANELLI®

6"
140 PR24
140 PRX24



NPSH (m)	25%	50%	75%	100%
140 PR 24 - 140 PRX 24	3	3	4,5	6,6